

Project: Pillowcase with Quilt-As-You-Go Band

American Patchwork & Quilting

1 MILLION  
PILLOWCASE CHALLENGE

Pattern 14



**FABRICS** are from the Flirtation collection by Ro Gregg, the Freckles collection by Ro Gregg, the Brush Strokes collection by Diana Leone, and the Home Elements collection by Mark Lipinski for Northcott Fabrics ([northcott.net](http://northcott.net)).

## Project: Pillowcase with Quilt-As-You-Go Band

**Materials****For one pillowcase:**

- ¼ yard print No. 1 (square, strips)
- ⅛ yard print No. 2 (strips)
- ⅛ yard print No. 3 (strips)
- 1⅛ yards print No. 4 (strips, pillowcase body, band lining)
- ¼ yard muslin (band foundation)

**Finished pillowcase:** 30×20" (fits a standard-size bed pillow)

**Quantities** are for 44/45"-wide, 100% cotton fabrics.

**Measurements** include ¼" seam allowances for piecing blocks and ½" seam allowances for pillowcase construction. Sew with right sides together unless otherwise specified.

**Cut Fabrics****From print No. 1, cut:**

- 1—4" square
- 14—1½×6" strips

**From each Nos. 2 and 3 print, cut:**

- 14—1½×6" strips

**From print No. 4, cut:**

- 1—25¾×41" rectangle
- 1—5½×40½" strip
- 14—1½×6" strips

**From muslin, cut:**

- 1—6×42" strip

**Assemble Quilt-As-You-Go Strip**

Use a ¼" seam allowance for the following steps.

1. Lay muslin strip on a work surface. With pencil and ruler, mark center of strip (21" from short edges).
2. Center print 4" square on point, right side up, at marked center of strip (**Diagram 1**); pin in place.

3. With right side down, lay an assorted print 1½×6" strip along one edge of center square, allowing excess strip to extend beyond edge of muslin strip (**Diagram 2**). Sew together through all layers. Finger-press the strip open.

4. Align a second assorted print 1½×6" strip along adjacent edge of center square (**Diagram 3**); sew as before. Finger-press the strip open.

5. Repeat steps 3 and 4 to add assorted print strips to alternating adjacent edges of center square and cover half of muslin strip (**Diagram 4**).

6. Repeat steps 3 and 4 to cover remaining half of muslin strip.

7. With square centered, trim covered muslin strip to 5½×40½" including seam allowances to make quilt-as-you-go strip.

**Assemble Band**

Use a ¼" seam allowance for the following steps.

1. Referring to **Band Assembly Diagram**, sew together quilt-as-you-go strip and print 5½×40½" strip.
2. Join short ends of Step 1 unit to make a loop. Fold loop in half with wrong side inside; press to make pillowcase band.

**Assemble Pillowcase**

Use a ½" seam allowance for the following steps, except where noted.

1. Fold print 25¾×41" rectangle in half crosswise to make a 25¾×20½" rectangle. Sew together long edges and one pair of short edges to make pillowcase body. Turn right side out and press flat.
2. Referring to **Diagram 5**, slide pillowcase band over pillowcase body with quilt-as-you-go strip facing pillowcase body; align raw edges and pin. Using a ¼" seam allowance, sew together through all layers.
3. Press pillowcase band open, pressing seam allowances toward pillowcase body. Topstitch ⅛" from band edge on pillowcase body to secure seam allowances and complete pillowcase (**Diagram 6**).

Project: Pillowcase with Quilt-As-You-Go Band




DIAGRAM 1



DIAGRAM 2





DIAGRAM 3



DIAGRAM 4



BAND ASSEMBLY DIAGRAM




DIAGRAM 5




DIAGRAM 6